PUBLIC WORKS DIRECTOR

2-28-02

PLANS APPROVAL DATE

The County of Contra Costa or its officers or agents shall not be responsible for the accuracy or completeness of electronic copies of this plan sheet.

PROFESSIONAL ENGINEER — REGISTERED — R. MITCH AVALON — No. 31422 — Exp. 12/31/04 — CIVIL — STATE OF CALIFORNIA



MAILBOX LOCATION
Monolithic curb and sidewalk



RURAL MAILBOX DETAIL



MAILBOX LOCATION
Section A-A



LOCATION PLAN

NOTES:

1. Distances are established by Postal regulations and may vary depending on jurisdiction. Check with local Postal office for current regulations.
2. Encroachment permit is required if mailbox is to be installed in existing sidewalk, or if installation requires modification of dimensions shown on this plan.
3. See Standard Plan CA70i & CA71i for sidewalk and curb details.
4. Where AC dike or curb is placed at edge of pavement, the minimum distance is measured from the face of curb.
5. Post depth shall be as required to adequately support mailbox to be installed. Minimum 24" depth without PCC Bkf.

NO.	DATE	REVISION DESCRIPTION	BY
1	2-02	Supersedes Standard Plan CA90 dated 11-99	P.W.

COUNTY OF CONTRA COSTA
PUBLIC WORKS DEPARTMENT
MARTINEZ, CALIFORNIA

STANDARD PLAN

MAILBOX DETAILS

SCALE: NO SCALE | DATE: 2-02
DRAWN BY: H.HUSSEY | PLAN NO. CA90i
CHECKED BY: M. HOLLINGSWORTH

STD. PLAN CA90i