



Point	Height		
	From Natural (Existing) Grade	From Finished Grade (Finished Floor Less 8")	From Sidewalk (Boulevard Way)
A	40.95	44.41	40.74
B	54.86	59.30	57.33
C	46.44	46.24	46.12

Point	Height			
	From Natural (Existing) Grade	From Finished Grade (Finished Floor Less 8")	From Sidewalk (Saranap Ave)	From Sidewalk (Boulevard Way)
A	38.08	41.35	35.56	-
B	44.94	51.52	44.33	-
C	44.22	45.35	44.53	-
D	44.42	45.35	43.63	-
E	40.79	41.35	40.03	-
F	53.27	51.52	50.30	-
G	44.90	46.38	-	46.06
H	57.13	57.05	-	56.73
J	52.65	52.40	-	51.63
K	65.10	66.57	-	65.90
L	40.96	41.35	-	41.16
M	55.93	56.27	-	54.48
N	51.76	51.52	50.60	61.00
P	57.45	51.52	49.80	61.90

Point	Height		
	From Natural (Existing) Grade	From Finished Grade (Finished Floor Less 8")	From Sidewalk (Boulevard Way)
A	36.40	42.37	41.70
B	52.79	55.85	55.28
C	55.15	55.85	55.98
D	43.00	43.12	42.46

Point	Height		
	From Natural (Existing) Grade	From Finished Grade (Finished Floor Less 8")	From Sidewalk (Boulevard Way)
A	61.05	62.67	60.95
B	56.88	58.50	58.08
C	62.08	60.50	59.08
D	66.72	64.67	64.06
E	51.24	67.17	59.89

NOTES: 1) Bolded heights are measured per county code 82-4.214, "Building height" means the vertical distance measured from grade to the top of structure directly above with exceptions noted elsewhere in the code. Height may be measured from finished grade when such grade is below natural grade. Height shall be measured from natural grade when the finished grade is higher than natural grade; 2) Pursuant to county code section 82-2.008 - Building height restrictions: The limits of heights of structures established in Division 84 for any district shall not apply to chimneys, stacks, fire towers, radio towers, television towers, water towers, windmills, oil and gas well derricks, monuments, flag poles, telephone poles, telegraph poles, silos, water tanks, and necessary mechanical appurtenances attached to buildings. In all cases parapet or fire walls on buildings or structures otherwise conforming to the regulations established in Division 84 may be constructed not higher than three feet; 3) Finish grade measured 8" (.67') below finish floor.

