

Appendix L: Underground Storage Tank Remediation Report

Project No.
8346.000.003

October 9, 2009

Nate Ball
Camille Ironwood Properties LLC
300 Camille Avenue
Alamo, CA 94507

Subject: Ball Ranch
300 Camille Avenue
Alamo, California

UNDERGROUND STORAGE TANK REMEDIATION

- References:
1. Geomatrix; Removal of Underground Storage Tanks, Ball Ranch Property, 300 Camille Avenue, Alamo, California; June 2000; Project Number 6038.000.0.
 2. Contra Costa Health Services; Underground Storage Tank (UST), Case Closure for Ball Ranch Property, 300 Camille Avenue, Alamo, California; August 22, 2000; Site ID# 72908
 3. ENGEO Inc. Former UST Area Assessment, Ball Ranch, 300 Camille Avenue, Alamo, CA; August 5, 2008; Project Number 8346.000.000.

Dear Mr. Ball:

This report summarizes the recent excavation of impacted soil from the former underground storage tank (UST) basin at the subject site located in Alamo, California. The excavation activities were completed in support of a no further action (NFA) determination from the Regional Water Quality Control Board (RWQCB).

BACKGROUND

The subject Property consists of an existing rural residential/ranch located near the western terminus of Camille Avenue, in Alamo, California (Figure 1). Two underground fuel storage tanks were previously located within the site, southwest of a three-car garage (Figure 2). The two tanks were reported to each have a capacity of approximately 500 gallons and were used for the storage of gasoline.

Geomatrix removed the USTs and associated piping on February 18, 2000 under the oversight of Contra Costa County Health Services Department (CCCHSD). Perched groundwater was observed within the UST basin during the removal. A grab sample of the perched groundwater

exhibited total petroleum hydrocarbons as gasoline (TPHg) and methyl-tert butyl ether (MTBE) concentrations of 11,000 micrograms per liter (ug/l) and 1,100 ug/l. The grab groundwater sample exhibited benzene, toluene, ethylbenzene, and xylenes (BTEX) concentrations of 110 ug/l, 1,200 ug/l, 200 ug/l, and 2,450 ug/l. Analyte concentrations for the native soil samples collected beneath the USTs were below the laboratory reporting limits. Upon completion of the removal and sampling activities, the UST basin was backfilled with imported aggregate base. Based on the available information CCCHSD issued a *No Further Action* letter for the UST site dated August 22, 2000 (attached).

ENGEO performed an assessment of the former UST area in 2008, which involved advancing eight geoprobe borings ranging in depth from 5 to 14 ½ feet below ground surface (bgs) within and outside the footprint of the former UST basin. Based on fill material encountered in the borings, the former UST basin appeared to extend to a depth of approximately 9 feet bgs. Samples of native soil collected below the base of the former UST basin exhibited TPHg concentrations of 420 and 440 milligrams per kilogram (mg/kg) and total petroleum hydrocarbons as diesel (TPHd) concentrations ranging from 9.8 to 49 mg/kg. Toluene, ethylbenzene, total xylenes, and MTBE were detected in the soil samples at concentrations ranging from 1.4 to 48 mg/kg. Based on the results of the assessment, we recommended excavating the impacted soil remaining at the base of the former UST basin. Since groundwater was not encountered in the geoprobe borings, we concluded that the groundwater encountered during the UST removal consisted of a perched zone associated with the UST basin, and is not representative of groundwater beneath the site.

REMEDIAL EXCAVATION

We visited the site on November 24, 2008 to observe the excavation of the former UST basin. The excavation, which was performed by an independent contractor using a backhoe, was initiated by removing the asphalt patch covering the former UST basin. Upon removing the asphalt surface, we observed the backfill material within the UST basin to consist of aggregate base extending to a depth of approximately 8 feet bgs. The sidewalls of the former UST basin were easily distinguished by the native siltstone material. We field screened the backfill and native overburden with a photo ionization detector (PID) and noted no significant detections of volatile organic compounds (VOCs). The material was stockpiled for re-use as backfill.

We observed a layer of medium-grained sand near the base of the UST basin from approximately 8 to 9 feet bgs. The sand, which was presumably placed beneath the USTs during the installation, exhibited a slight hydrocarbon odor. The native soil encountered beneath the sand also exhibited a hydrocarbon odor and consisted of a dense, light brown siltstone. The native soil from the base of the former UST basin exhibited PID readings ranging from 50 to 80 parts per million (ppm). Based on real time PID readings, the base of the former UST basin was extended from 9 to 13 feet bgs. Upon completion, the excavation measured approximately 10 feet by 18 feet with a depth of approximately 13 feet. No groundwater was encountered during the excavation.

We collected a total of two confirmation base samples and four confirmation sidewall samples from the completed excavation. The samples were collected from the backhoe bucket in new stainless steel sleeves and sealed with Teflon and plastic caps. We collected one discrete sample of the native overburden and a four point composite sample from the impacted soil stockpile.

The excavation confirmation samples and native overburden sample were submitted for laboratory analysis of TPHg, BTEX, and MTBE by EPA Test Method 8021B/8015M, TPHd by EPA Test Method 8015B, and total lead by EPA Test Method 6010C. The four-point composite sample collected from the impacted soil stockpile was submitted for above analysis with the addition of LUFT metals by EPA Test Method 6010C.

Since the sidewalls and base of the excavation appeared to be free of significant impacts, the excavation was backfilled the same day with the original aggregate base and native overburden material. The backfill activities are summarized in a separate report.

Approximately 25 cubic yards of impacted soil was excavated from below the base of the former UST basin, stockpiled on plastic sheeting, and subsequently transported to the Keller Canyon landfill in Pittsburg, California. Copies of the non-hazardous waste manifests and landfill receipts are provided as an attachment.

LABORATORY ANALYTICAL RESULTS

The excavation confirmation samples exhibited no detections of TPHg, TPHd, BTEX, and MTBE above laboratory reporting limits.

The native overburden and impacted soil stockpiles exhibited trace detections of TPHd at concentrations of 3.5 and 3.8 mg/kg.

The detected total lead concentrations for the excavation and stockpile samples ranged from 5.3 to 9.2, which is consistent with naturally occurring background concentrations. The additional LUFT metal concentrations detected in the impacted soil stockpile were also consistent with naturally occurring background concentrations.

CONCLUSION

The recent excavation activities resulted in the removal and disposal of 32.2 tons of impacted soil from the former UST basin at the Ball Ranch Property. Based on analytical results of the excavation confirmation samples, remediation of the residual soil impacts associated with the former USTs appears to be complete. The remaining soil left in place in the vicinity of the former UST is considered suitable for residential land use.

Based on *Geoprobe* borings performed in July 2008, the depth to groundwater at the site appears to be greater than 14 ½ feet bgs. Given that the confirmation soil samples collected from the base of the excavation (13 feet bgs) exhibited no detectable concentrations above laboratory reporting limits, the previous soil impacts do not appear to have migrated to groundwater.

Given the current site conditions, we conclude that a No Further Action (NFA) determination is appropriate. We recommend that the RWQCB be requested to provide a closure letter for the property.


If you have any questions or comments regarding this report, please call and we will be glad to discuss them with you.

Sincerely,

ENGEO Incorporated


Morgan Johnson
Project Manager



Shawn Munger, CHG
Principal



Attachments: Figure 1 – Vicinity Map
Figure 2 – Former UST Location
Figure 3 – Excavation Site Plan
Figure 4 – Excavation Photographs
McC Campbell Analytical, Inc. – Laboratory Analytical Results
CCCHSD – No Further Action Letter
Non-Hazardous Waste Manifests and Landfill Receipts

Cc: Mr. Vince D'Alo, Camille Ironwood Properties, LLC
Shannon Ball Jones, Shannon B. Jones Law Group
Chuck Headlee, San Francisco Regional Water Quality Control Board

COPYRIGHT © 2008 BY ENGEO INCORPORATED. THIS DOCUMENT MAY NOT BE REPRODUCED IN WHOLE OR IN PART BY ANY MEANS WHATSOEVER, NOR MAY IT BE QUOTED OR EXCERPTED WITHOUT THE EXPRESS WRITTEN CONSENT OF ENGEO INCORPORATED.



BASE MAP SOURCE: MS STREETS AND TRIPS



VICINITY MAP
 BALL RANCH
 ALAMO, CALIFORNIA

PROJECT NO:	8346.000.000
DATE:	OCTOBER 2009
DRAWN BY:	PC
CHECKED BY:	SPM

FIGURE NO
1

COPYRIGHT © 2009 BY ENGeo INCORPORATED. THIS DOCUMENT MAY NOT BE REPRODUCED IN WHOLE OR IN PART BY ANY MEANS WHATSOEVER, NOR MAY IT BE QUOTED OR EXCERPTED WITHOUT THE EXPRESS WRITTEN CONSENT OF ENGeo INCORPORATED.



APPROXIMATE LOCATION
OF FORMER USTs

CAMILLE AVENUE

CAMILLE LANE



BASE MAP SOURCE: MICROSOFT VIRTUAL EARTH




FORMER UST LOCATION
BALL RANCH
ALAMO, CALIFORNIA

PROJECT NO.: 8346.000.000	
DATE: OCTOBER 2009	
DRAWN BY: PC	CHECKED BY: SPM

FIGURE NO
2

G:\Drafting\BRAF\IN\621\Draw\8346\000\120\834600000-3-ExcavationSitePlan-1009.dwg 10-12-09 01:36:00 PM dborda



EXPLANATION

SW4
10 ● APPROXIMATE LOCATION OF CONFIRMATION
SOIL SAMPLE WITH DEPTH IN FEET



	EXCAVATION SITE PLAN		PROJECT NO.: 8346.000.000 DATE: OCTOBER 2009 DRAWN BY: PC CHECKED BY: SPM	FIGURE NO. 3
	BALL RANCH			
	ALAMO, CALIFORNIA			

COPYRIGHT © 2009 BY ENGeo INCORPORATED. THIS DOCUMENT MAY NOT BE REPRODUCED IN WHOLE OR IN PART BY ANY MEANS WHATSOEVER, NOR MAY IT BE QUOTED OR EXCERPTED WITHOUT THE EXPRESS WRITTEN CONSENT OF ENGeo INCORPORATED.



STOCKPILE OF IMPACTED SOIL



VIEW OF BASE OF COMPLETED EXCAVATION



VIEWING EAST ACROSS THE EXCAVATION



VIEWING SOUTH TOWARDS THE EXCAVATION



VIEWING WEST ACROSS THE EXCAVATION



EXCAVATION PHOTOGRAPHS
BALL RANCH
ALAMO, CALIFORNIA

PROJECT NO.: 8346.000.000
DATE: OCTOBER 2009
DRAWN BY: PC CHECKED BY: SPM

FIGURE NO.
4



McC Campbell Analytical, Inc.

"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Web: www.mcccampbell.com E-mail: main@mcccampbell.com
Telephone: 877-252-9262 Fax: 925-252-9269

ENGEO Incorporated 2010 Crow Canyon Place, Ste 250 San Ramon, CA 94583-4634	Client Project ID: #8346.000.003; Ball Ranch	Date Sampled: 11/24/08
		Date Received: 11/24/08
	Client Contact: Shawn Munger	Date Reported: 12/03/08
	Client P.O.:	Date Completed: 11/26/08

WorkOrder: 0811727

December 03, 2008

Dear Shawn:

Enclosed within are:

- 1) The results of the **1** analyzed sample from your project: **#8346.000.003; Ball Ranch,**
- 2) A QC report for the above sample,
- 3) A copy of the chain of custody, and
- 4) An invoice for analytical services.

All analyses were completed satisfactorily and all QC samples were found to be within our control limits.

If you have any questions or concerns, please feel free to give me a call. Thank you for choosing

McC Campbell Analytical Laboratories for your analytical needs.

Best regards,

Angela Rydelius
Laboratory Manager
McC Campbell Analytical, Inc.

McC Campbell Analytical, Inc.



1534 Willow Pass Rd
 Pittsburg, CA 94565-1701
 (925) 252-9262

CHAIN-OF-CUSTODY RECORD

WorkOrder: 0811727

ClientCode: ENGE

WriteOn EDF Excel Fax Email HardCopy ThirdParty J-flag

Report to:
 Shawn Munger
 ENGE Incorporated
 2010 Crow Canyon Place, Ste 250
 San Ramon, CA 94583-4634
 (925) 866-9000 FAX (925) 866-0199

Email: smunger@engeo.com; KNOWELL@en
 cc: mjohanson@engeo.com
 PO:
 ProjectNo: #8346.000.003; Ball Ranch

Bill to:
 Chantelle
 ENGE Incorporated
 2010 Crow Canyon Place, Ste 250
 San Ramon, CA 94583-4634
 cbryant@engeo.com

Requested TAT: 5 days
Date Received: 11/24/2008
Date Printed: 11/24/2008

Lab ID	Client ID	Matrix	Collection Date	Hold	Requested Tests (See legend below)												
					1	2	3	4	5	6	7	8	9	10	11	12	
0811727-001	SP2-A,B,C,D.	Soil	11/24/2008 12:00	<input type="checkbox"/>	A	A	A										

Test Legend:

1	G-MBTX_S	2	LUFT_S	3	TPH(D)_S	4		5	
6		7		8		9		10	
11		12							

Prepared by: Samantha Arbuckle

Comments:

NOTE: Soil samples are discarded 60 days after results are reported unless other arrangements are made (Water samples are 30 days).
 Hazardous samples will be returned to client or disposed of at client expense.



Sample Receipt Checklist

Client Name: **ENGEO Incorporated** Date and Time Received: **11/24/2008 2:56:41 PM**
 Project Name: **#8346.000.003; Ball Ranch** Checklist completed and reviewed by: **Samantha Arbuckle**
 WorkOrder N°: **0811727** Matrix Soil Carrier: Client Drop-In

Chain of Custody (COC) Information

Chain of custody present? Yes No
 Chain of custody signed when relinquished and received? Yes No
 Chain of custody agrees with sample labels? Yes No
 Sample IDs noted by Client on COC? Yes No
 Date and Time of collection noted by Client on COC? Yes No
 Sampler's name noted on COC? Yes No

Sample Receipt Information

Custody seals intact on shipping container/cooler? Yes No NA
 Shipping container/cooler in good condition? Yes No
 Samples in proper containers/bottles? Yes No
 Sample containers intact? Yes No
 Sufficient sample volume for indicated test? Yes No

Sample Preservation and Hold Time (HT) Information

All samples received within holding time? Yes No
 Container/Temp Blank temperature Cooler Temp: 22.3°C NA
 Water - VOA vials have zero headspace / no bubbles? Yes No No VOA vials submitted
 Sample labels checked for correct preservation? Yes No
 TTLC Metal - pH acceptable upon receipt (pH<2)? Yes No NA
 Samples Received on Ice? Yes No

* NOTE: If the "No" box is checked, see comments below.

Client contacted: Date contacted: Contacted by:

Comments:



QC SUMMARY REPORT FOR SW8021B/8015Cm

W.O. Sample Matrix: Soil

QC Matrix: Soil

BatchID: 39834

WorkOrder 0811727

Analyte	EPA Method SW8021B/8015Cm		Extraction SW5030B						Spiked Sample ID: 0811729-001A			
	Sample	Spiked	MS	MSD	MS-MSD	LCS	LCSD	LCS-LCSD	Acceptance Criteria (%)			
	mg/Kg	mg/Kg	% Rec.	% Rec.	% RPD	% Rec.	% Rec.	% RPD	MS / MSD	RPD	LCS/LCSD	RPD
TPH(btex) ^f	ND	0.60	110	106	3.49	96.9	102	4.65	70 - 130	20	70 - 130	20
MTBE	ND	0.10	89.3	88.1	1.40	108	106	2.33	70 - 130	20	70 - 130	20
Benzene	ND	0.10	90.6	89.2	1.63	98.4	101	2.38	70 - 130	20	70 - 130	20
Toluene	ND	0.10	95.2	92.4	2.92	88.2	89.7	1.62	70 - 130	20	70 - 130	20
Ethylbenzene	ND	0.10	99.5	97.4	2.15	98.3	99.5	1.16	70 - 130	20	70 - 130	20
Xylenes	ND	0.30	115	111	3.31	95.3	96.1	0.752	70 - 130	20	70 - 130	20
%SS:	90	0.10	111	112	0.656	93	95	2.14	70 - 130	20	70 - 130	20

All target compounds in the Method Blank of this extraction batch were ND less than the method RL with the following exceptions:
NONE

BATCH 39834 SUMMARY

Lab ID	Date Sampled	Date Extracted	Date Analyzed	Lab ID	Date Sampled	Date Extracted	Date Analyzed
0811727-001A	11/24/08 12:00 PM	11/24/08	12/01/08 3:28 PM				

MS = Matrix Spike; MSD = Matrix Spike Duplicate; LCS = Laboratory Control Sample; LCSD = Laboratory Control Sample Duplicate; RPD = Relative Percent Deviation.

% Recovery = 100 * (MS-Sample) / (Amount Spiked); RPD = 100 * (MS - MSD) / ((MS + MSD) / 2).

MS / MSD spike recoveries and / or %RPD may fall outside of laboratory acceptance criteria due to one or more of the following reasons: a) the sample is inhomogenous AND contains significant concentrations of analyte relative to the amount spiked, or b) the spiked sample's matrix interferes with the spike recovery.

£ TPH(btex) = sum of BTEX areas from the FID.

cluttered chromatogram; sample peak coelutes with surrogate peak.

N/A = not enough sample to perform matrix spike and matrix spike duplicate.

NR = matrix interference and/or analyte concentration in sample exceeds spike amount for soil matrix or exceeds 2x spike amount for water matrix or sample diluted due to high matrix or analyte content.



QC SUMMARY REPORT FOR SW8015B

W.O. Sample Matrix: Soil

QC Matrix: Soil

BatchID: 39841

WorkOrder 0811727

EPA Method SW8015B		Extraction SW3550C							Spiked Sample ID: 0811703-004A			
Analyte	Sample	Spiked	MS	MSD	MS-MSD	LCS	LCSD	LCS-LCSD	Acceptance Criteria (%)			
	mg/Kg	mg/Kg	% Rec.	% Rec.	% RPD	% Rec.	% Rec.	% RPD	MS / MSD	RPD	LCS/LCSD	RPD
TPH-Diesel (C10-C23)	2.6	20	93.8	93.6	0.173	123	123	0	70 - 130	30	70 - 130	30
%SS:	112	50	112	112	0	111	111	0	70 - 130	30	70 - 130	30

All target compounds in the Method Blank of this extraction batch were ND less than the method RL with the following exceptions:
NONE

BATCH 39841 SUMMARY

Lab ID	Date Sampled	Date Extracted	Date Analyzed	Lab ID	Date Sampled	Date Extracted	Date Analyzed
0811727-001A	11/24/08 12:00 PM	11/24/08	11/25/08 1:18 PM				

MS = Matrix Spike; MSD = Matrix Spike Duplicate; LCS = Laboratory Control Sample; LCSD = Laboratory Control Sample Duplicate; RPD = Relative Percent Deviation.

% Recovery = $100 * (MS - Sample) / (Amount Spiked)$; RPD = $100 * (MS - MSD) / ((MS + MSD) / 2)$.

MS / MSD spike recoveries and / or %RPD may fall outside of laboratory acceptance criteria due to one or more of the following reasons: a) the sample is inhomogenous AND contains significant concentrations of analyte relative to the amount spiked, or b) the spiked sample's matrix interferes with the spike recovery.

N/A = not enough sample to perform matrix spike and matrix spike duplicate.

NR = analyte concentration in sample exceeds spike amount for soil matrix or exceeds 2x spike amount for water matrix or sample diluted due to high matrix or analyte content.



QC SUMMARY REPORT FOR 6010C

W.O. Sample Matrix: Soil

QC Matrix: Soil

WorkOrder 0811727

EPA Method 6010C		Extraction SW3050B					BatchID: 39864			Spiked Sample ID 0811727-001A			
Analyte	Sample	Spiked	MS	MSD	MS-MSD	Spiked	LCS	LCSD	LCS-LCSD	Acceptance Criteria (%)			
	mg/Kg	mg/Kg	% Rec.	% Rec.	% RPD	mg/Kg	% Rec.	% Rec.	% RPD	MS / MSD	RPD	LCS/LCSD	RPD
Cadmium	ND	50	114	113	1.67	10	111	111	0	75 - 125	20	80 - 120	20
Chromium	43	50	105	100	2.32	10	100	101	0.573	75 - 125	20	80 - 120	20
Lead	6.4	50	96.7	96	0.688	10	99.2	96.3	2.97	75 - 125	20	80 - 120	20
Nickel	15	50	110	106	3.23	10	104	104	0	75 - 125	20	80 - 120	20
Zinc	38	500	94	92.8	1.19	100	109	103	4.88	75 - 125	20	80 - 120	20
%SS:	96	250	97	90	7.13	250	101	96	5.03	70 - 130	20	70 - 130	20

All target compounds in the Method Blank of this extraction batch were ND less than the method RL with the following exceptions:
NONE

BATCH 39864 SUMMARY

Lab ID	Date Sampled	Date Extracted	Date Analyzed	Lab ID	Date Sampled	Date Extracted	Date Analyzed
0811727-001A	11/24/08 12:00 PM	11/24/08	11/25/08 4:09 PM				

MS = Matrix Spike; MSD = Matrix Spike Duplicate; LCS = Laboratory Control Sample; LCSD = Laboratory Control Sample Duplicate; RPD = Relative Percent Deviation.

% Recovery = 100 * (MS-Sample) / (Amount Spiked); RPD = 100 * (MS - MSD) / ((MS + MSD) / 2).

MS / MSD spike recoveries and / or %RPD may fall outside of laboratory acceptance criteria due to one or more of the following reasons: a) the sample is inhomogenous AND contains significant concentrations of analyte relative to the amount spiked, or b) the spiked sample's matrix interferes with the spike recovery.

N/A = not applicable to this method.

NR = analyte concentration in sample exceeds spike amount for soil matrix or exceeds 2x spike amount for water matrix or sample diluted due to high matrix or analyte content.



McC Campbell Analytical, Inc.

"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Web: www.mcccampbell.com E-mail: main@mcccampbell.com
Telephone: 877-252-9262 Fax: 925-252-9269

ENGEO Incorporated 2010 Crow Canyon Place, Ste 250 San Ramon, CA 94583-4634	Client Project ID: #8346.000.003; Ball Ranch	Date Sampled: 11/24/08
		Date Received: 11/24/08
	Client Contact: Shawn Munger	Date Reported: 12/01/08
	Client P.O.:	Date Completed: 12/01/08

WorkOrder: 0811729

December 01, 2008

Dear Shawn:

Enclosed within are:

- 1) The results of the **7** analyzed samples from your project: **#8346.000.003; Ball Ranch,**
- 2) A QC report for the above samples,
- 3) A copy of the chain of custody, and
- 4) An invoice for analytical services.

All analyses were completed satisfactorily and all QC samples were found to be within our control limits.

If you have any questions or concerns, please feel free to give me a call. Thank you for choosing

McC Campbell Analytical Laboratories for your analytical needs.

Best regards,

Angela Rydelius
Laboratory Manager
McC Campbell Analytical, Inc.

0811729

CHAIN OF CUSTODY RECORD

8346.000.003		PROJECT NAME - Ball Ranch					TPH-Gas/BTEX	TPH-diesel	Total Lead	MTBE	5 Day Turn	REMARKS REQUIRED DETECTION LIMITS
SAMPLED BY: (SIGNATURE/PRINT): Morgan Johnson												
PROJECT MANAGER: (SIGNATURE/PRINT): Shawn Munger												
ROUTING: E-MAIL - mjohnson@engeo.com; smunger@engeo.com												
SAMPLE NUMBER	DATE	TIME	MATRIX	NUMBER OF CONTAINERS	CONTAINER SIZE	PRESERVATIVE						
B1-13'	11-24-08	11:30	Soil	1	2x6	ICE	X	X	X	X		
B2-13'	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓		
SW1-10'	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓		
SW2-10'	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓		
SW3-10'	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓		
SW4-10'	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓		
SP1		11:55	↓	↓	↓	↓	↓	↓	↓	↓		
						ICE / t° NO 273 °C GOOD CONDITION <input checked="" type="checkbox"/> APPROPRIATE HEAD SPACE ABSENT <input checked="" type="checkbox"/> CONTAINERS DECHLORINATED IN LAB <input checked="" type="checkbox"/> PRESERVED IN LAB <input checked="" type="checkbox"/> PRESERVATION <input type="checkbox"/> VOAS <input type="checkbox"/> LO & G <input type="checkbox"/> METALS <input type="checkbox"/> OTHER <input type="checkbox"/>						
RELINQUISHED BY: (SIGNATURE)		DATE/TIME		RECEIVED BY: (SIGNATURE)		RELINQUISHED BY: (SIGNATURE)		DATE/TIME		RECEIVED BY: (SIGNATURE)		
		11-24-08 1:45										
RELINQUISHED BY: (SIGNATURE)		DATE/TIME		RECEIVED BY: (SIGNATURE)		RELINQUISHED BY: (SIGNATURE)		DATE/TIME		RECEIVED BY: (SIGNATURE)		
RELINQUISHED BY: (SIGNATURE)		DATE/TIME		RECEIVED FOR LABORATORY BY: (SIGNATURE)		DATE/TIME		REMARKS				



2213 PLAZA DRIVE
 ROCKLIN, CALIFORNIA 95765
 (916) 786-8883 FAX (888) 279-2698
 WWW.ENGEO.COM

DISTRIBUTION: ORIGINAL ACCOMPANIES SHIPMENT; COPY TO PROJECT FIELD FILES

McC Campbell Analytical, Inc.



1534 Willow Pass Rd
 Pittsburg, CA 94565-1701
 (925) 252-9262

CHAIN-OF-CUSTODY RECORD

WorkOrder: 0811729

ClientCode: ENGE

WriteOn
 EDF
 Excel
 Fax
 Email
 HardCopy
 ThirdParty
 J-flag

Report to:	Shawn Munger	Email: smunger@engeo.com; KNOWELL@en	Bill to:	Chantelle	Requested TAT:	5 days
	ENGEO Incorporated	cc: mjohanson@engeo.com		ENGEO Incorporated	<i>Date Received:</i>	11/24/2008
	2010 Crow Canyon Place, Ste 250	PO:		2010 Crow Canyon Place, Ste 250	<i>Date Printed:</i>	11/24/2008
	San Ramon, CA 94583-4634	ProjectNo: #8346.000.003; Ball Ranch		San Ramon, CA 94583-4634		
	(925) 866-9000 FAX (925) 866-0199			cbryant@engeo.com		

Lab ID	Client ID	Matrix	Collection Date	Hold	Requested Tests (See legend below)											
					1	2	3	4	5	6	7	8	9	10	11	12
0811729-001	B1-13'	Soil	11/24/2008 11:30	<input type="checkbox"/>	A	A	A									
0811729-002	B2-13'	Soil	11/24/2008 11:30	<input type="checkbox"/>	A	A	A									
0811729-003	SW1-10'	Soil	11/24/2008 11:30	<input type="checkbox"/>	A	A	A									
0811729-004	SW2-10'	Soil	11/24/2008 11:30	<input type="checkbox"/>	A	A	A									
0811729-005	SW3-10'	Soil	11/24/2008 11:30	<input type="checkbox"/>	A	A	A									
0811729-006	SW4-10'	Soil	11/24/2008 11:30	<input type="checkbox"/>	A	A	A									
0811729-007	SP1	Soil	11/24/2008 11:55	<input type="checkbox"/>	A	A	A									

Test Legend:

1	G-MBTX_S	2	PB_S	3	TPH(D)_S	4		5	
6		7		8		9		10	
11		12							

Prepared by: Ana Venegas

Comments:

NOTE: Soil samples are discarded 60 days after results are reported unless other arrangements are made (Water samples are 30 days).
 Hazardous samples will be returned to client or disposed of at client expense.



Sample Receipt Checklist

Client Name: **ENGEO Incorporated**

Date and Time Received: **11/24/08 3:23:04 PM**

Project Name: **#8346.000.003; Ball Ranch**

Checklist completed and reviewed by: **Ana Venegas**

WorkOrder N°: **0811729** Matrix Soil

Carrier: Client Drop-In

Chain of Custody (COC) Information

- Chain of custody present? Yes No
- Chain of custody signed when relinquished and received? Yes No
- Chain of custody agrees with sample labels? Yes No
- Sample IDs noted by Client on COC? Yes No
- Date and Time of collection noted by Client on COC? Yes No
- Sampler's name noted on COC? Yes No

Sample Receipt Information

- Custody seals intact on shipping container/cooler? Yes No NA
- Shipping container/cooler in good condition? Yes No
- Samples in proper containers/bottles? Yes No
- Sample containers intact? Yes No
- Sufficient sample volume for indicated test? Yes No

Sample Preservation and Hold Time (HT) Information

- All samples received within holding time? Yes No
- Container/Temp Blank temperature Cooler Temp: 22.3°C NA
- Water - VOA vials have zero headspace / no bubbles? Yes No No VOA vials submitted
- Sample labels checked for correct preservation? Yes No
- TTLC Metal - pH acceptable upon receipt (pH<2)? Yes No NA
- Samples Received on Ice? Yes No

* NOTE: If the "No" box is checked, see comments below.

Client contacted:

Date contacted:

Contacted by:

Comments:



McC Campbell Analytical, Inc.

"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Web: www.mcccampbell.com E-mail: main@mcccampbell.com
Telephone: 877-252-9262 Fax: 925-252-9269

ENGEO Incorporated 2010 Crow Canyon Place, Ste 250 San Ramon, CA 94583-4634	Client Project ID: #8346.000.003; Ball Ranch	Date Sampled: 11/24/08
	Client Contact: Shawn Munger	Date Received: 11/24/08
	Client P.O.:	Date Extracted: 11/24/08
		Date Analyzed: 11/25/08

Gasoline Range (C6-C12) Volatile Hydrocarbons as Gasoline with BTEX and MTBE*

Extraction method: SW5030B

Analytical methods: SW8021B/8015Cm

Work Order: 0811729

Lab ID	Client ID	Matrix	TPH(g)	MTBE	Benzene	Toluene	Ethylbenzene	Xylenes	DF	% SS
001A	B1-13'	S	ND	ND	ND	ND	ND	ND	1	90
002A	B2-13'	S	ND	ND	ND	ND	ND	ND	1	97
003A	SW1-10'	S	ND	ND	ND	ND	ND	ND	1	100
004A	SW2-10'	S	ND	ND	ND	ND	ND	ND	1	116
005A	SW3-10'	S	ND	ND	ND	ND	ND	ND	1	103
006A	SW4-10'	S	ND	ND	ND	ND	ND	ND	1	120
007A	SP1	S	ND	ND	ND	ND	ND	ND	1	125

Reporting Limit for DF =1; ND means not detected at or above the reporting limit	W	50	5.0	0.5	0.5	0.5	0.5	ug/L
	S	1	0.05	0.005	0.005	0.005	0.005	mg/Kg

* water and vapor samples and all TCLP & SPLP extracts are reported in µg/L, soil/sludge/solid samples in mg/kg, wipe samples in µg/wipe, product/oil/non-aqueous liquid samples in mg/L.

cluttered chromatogram; sample peak coelutes w/surrogate peak; low surrogate recovery due to matrix interference.

+The following descriptions of the TPH chromatogram are cursory in nature and McC Campbell Analytical is not responsible for their interpretation:



McC Campbell Analytical, Inc.

"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Web: www.mcccampbell.com E-mail: main@mcccampbell.com
Telephone: 877-252-9262 Fax: 925-252-9269

ENGEO Incorporated 2010 Crow Canyon Place, Ste 250 San Ramon, CA 94583-4634	Client Project ID: #8346.000.003; Ball Ranch	Date Sampled: 11/24/08
	Client Contact: Shawn Munger	Date Received: 11/24/08
	Client P.O.:	Date Extracted: 11/24/08
		Date Analyzed: 11/26/08

Lead by ICP*

Extraction method: SW3050B

Analytical methods: 6010C

Work Order: 0811729

Lab ID	Client ID	Matrix	Extraction Type	Lead	DF	% SS
0811729-001A	B1-13'	S	TOTAL	9.2	1	97
0811729-002A	B2-13'	S	TOTAL	5.3	1	93
0811729-003A	SW1-10'	S	TOTAL	8.0	1	94
0811729-004A	SW2-10'	S	TOTAL	ND	1	97
0811729-005A	SW3-10'	S	TOTAL	5.8	1	98
0811729-006A	SW4-10'	S	TOTAL	5.6	1	92
0811729-007A	SP1	S	TOTAL	7.3	1	93

Reporting Limit for DF =1; ND means not detected at or above the reporting limit	W	TOTAL	NA	µg/L
	S	TOTAL	5.0	mg/Kg

*water samples are reported in µg/L, product/oil/non-aqueous liquid samples and all TCLP / STLC / DISTLC / SPLP extracts are reported in mg/L, soil/sludge/solid samples in mg/kg, wipe samples in µg/wipe, filter samples in µg/filter.

means surrogate diluted out of range; ND means not detected above the reporting limit; N/A means not applicable to this sample or instrument.

TOTAL = acid digestion.
WET = Waste Extraction Test (STLC).
DI WET = Waste Extraction Test using de-ionized water.



McC Campbell Analytical, Inc.

"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Web: www.mcccampbell.com E-mail: main@mcccampbell.com
Telephone: 877-252-9262 Fax: 925-252-9269

ENGEO Incorporated 2010 Crow Canyon Place, Ste 250 San Ramon, CA 94583-4634	Client Project ID: #8346.000.003; Ball Ranch	Date Sampled: 11/24/08
	Client Contact: Shawn Munger	Date Received: 11/24/08
	Client P.O.:	Date Extracted: 11/24/08
		Date Analyzed 11/25/08-11/26/08

Total Extractable Petroleum Hydrocarbons*

Extraction method SW3550C

Analytical methods: SW8015B

Work Order: 0811729

Lab ID	Client ID	Matrix	TPH-Diesel (C10-C23)	DF	% SS
0811729-001A	B1-13'	S	ND	1	109
0811729-002A	B2-13'	S	ND	1	110
0811729-003A	SW1-10'	S	ND	1	110
0811729-004A	SW2-10'	S	ND	1	104
0811729-005A	SW3-10'	S	ND	1	109
0811729-006A	SW4-10'	S	ND	1	111
0811729-007A	SP1	S	3.5,e7,e2	1	112

Reporting Limit for DF =1; ND means not detected at or above the reporting limit	W	NA	NA
	S	1.0	mg/Kg

* water samples are reported in µg/L, wipe samples in µg/wipe, soil/solid/sludge samples in mg/kg, product/oil/non-aqueous liquid samples in mg/L, and all DISTLC / STLC / SPLP / TCLP extracts are reported in µg/L.

cluttered chromatogram resulting in coeluted surrogate and sample peaks, or; surrogate peak is on elevated baseline, or; surrogate has been diminished by dilution of original extract.

+The following descriptions of the TPH chromatogram are cursory in nature and McC Campbell Analytical is not responsible for their interpretation:

e2) diesel range compounds are significant; no recognizable pattern
e7) oil range compounds are significant



QC SUMMARY REPORT FOR SW8021B/8015Cm

W.O. Sample Matrix: Soil

QC Matrix: Soil

BatchID: 39834

WorkOrder: 0811729

EPA Method SW8021B/8015Cm		Extraction SW5030B							Spiked Sample ID: 0811729-001A			
Analyte	Sample	Spiked	MS	MSD	MS-MSD	LCS	LCSD	LCS-LCSD	Acceptance Criteria (%)			
	mg/Kg	mg/Kg	% Rec.	% Rec.	% RPD	% Rec.	% Rec.	% RPD	MS / MSD	RPD	LCS/LCSD	RPD
TPH(btex) ^f	ND	0.60	110	106	3.49	96.9	102	4.65	70 - 130	20	70 - 130	20
MTBE	ND	0.10	89.3	88.1	1.40	108	106	2.33	70 - 130	20	70 - 130	20
Benzene	ND	0.10	90.6	89.2	1.63	98.4	101	2.38	70 - 130	20	70 - 130	20
Toluene	ND	0.10	95.2	92.4	2.92	88.2	89.7	1.62	70 - 130	20	70 - 130	20
Ethylbenzene	ND	0.10	99.5	97.4	2.15	98.3	99.5	1.16	70 - 130	20	70 - 130	20
Xylenes	ND	0.30	115	111	3.31	95.3	96.1	0.752	70 - 130	20	70 - 130	20
%SS:	90	0.10	111	112	0.656	93	95	2.14	70 - 130	20	70 - 130	20

All target compounds in the Method Blank of this extraction batch were ND less than the method RL with the following exceptions:
NONE

BATCH 39834 SUMMARY

Lab ID	Date Sampled	Date Extracted	Date Analyzed	Lab ID	Date Sampled	Date Extracted	Date Analyzed
0811729-001A	11/24/08 11:30 AM	11/24/08	11/25/08 9:36 AM	0811729-002A	11/24/08 11:30 AM	11/24/08	11/25/08 7:50 AM
0811729-003A	11/24/08 11:30 AM	11/24/08	11/25/08 9:21 AM	0811729-004A	11/24/08 11:30 AM	11/24/08	11/25/08 3:19 AM
0811729-005A	11/24/08 11:30 AM	11/24/08	11/25/08 5:20 AM	0811729-006A	11/24/08 11:30 AM	11/24/08	11/25/08 2:19 AM
0811729-007A	11/24/08 11:55 AM	11/24/08	11/25/08 2:49 AM				

MS = Matrix Spike; MSD = Matrix Spike Duplicate; LCS = Laboratory Control Sample; LCSD = Laboratory Control Sample Duplicate; RPD = Relative Percent Deviation.

% Recovery = 100 * (MS-Sample) / (Amount Spiked); RPD = 100 * (MS - MSD) / ((MS + MSD) / 2).

MS / MSD spike recoveries and / %RPD may fall outside of laboratory acceptance criteria due to one or more of the following reasons: a) the sample is inhomogenous AND contains significant concentrations of analyte relative to the amount spiked, or b) the spiked sample's matrix interferes with the spike recovery.

£ TPH(btex) = sum of BTEX areas from the FID.

cluttered chromatogram; sample peak coelutes with surrogate peak.

N/A = not enough sample to perform matrix spike and matrix spike duplicate.

NR = matrix interference and/or analyte concentration in sample exceeds spike amount for soil matrix or exceeds 2x spike amount for water matrix or sample diluted due to high matrix or analyte content.



QC SUMMARY REPORT FOR 6010C

W.O. Sample Matrix: Soil

QC Matrix: Soil

WorkOrder: 0811729

EPA Method 6010C		Extraction SW3050B					BatchID: 39864			Spiked Sample ID 0811727-001A			
Analyte	Sample	Spiked	MS	MSD	MS-MSD	Spiked	LCS	LCSD	LCS-LCSD	Acceptance Criteria (%)			
	mg/Kg	mg/Kg	% Rec.	% Rec.	% RPD	mg/Kg	% Rec.	% Rec.	% RPD	MS / MSD	RPD	LCS/LCSD	RPD
Lead	6.4	50	96.7	96	0.688	10	99.2	96.3	2.97	75 - 125	20	80 - 120	20
%SS:	96	250	97	90	7.13	250	101	96	5.03	70 - 130	20	70 - 130	20

All target compounds in the Method Blank of this extraction batch were ND less than the method RL with the following exceptions:
NONE

BATCH 39864 SUMMARY

Lab ID	Date Sampled	Date Extracted	Date Analyzed	Lab ID	Date Sampled	Date Extracted	Date Analyzed
0811729-001A	11/24/08 11:30 AM	11/24/08	11/26/08 4:08 PM	0811729-002A	11/24/08 11:30 AM	11/24/08	11/26/08 4:11 PM
0811729-003A	11/24/08 11:30 AM	11/24/08	11/26/08 4:15 PM	0811729-004A	11/24/08 11:30 AM	11/24/08	11/26/08 4:18 PM
0811729-005A	11/24/08 11:30 AM	11/24/08	11/26/08 4:21 PM	0811729-006A	11/24/08 11:30 AM	11/24/08	11/26/08 4:24 PM
0811729-007A	11/24/08 11:55 AM	11/24/08	11/26/08 4:27 PM				

MS = Matrix Spike; MSD = Matrix Spike Duplicate; LCS = Laboratory Control Sample; LCSD = Laboratory Control Sample Duplicate; RPD = Relative Percent Deviation.

% Recovery = 100 * (MS-Sample) / (Amount Spiked); RPD = 100 * (MS - MSD) / ((MS + MSD) / 2).

MS / MSD spike recoveries and / or %RPD may fall outside of laboratory acceptance criteria due to one or more of the following reasons: a) the sample is inhomogenous AND contains significant concentrations of analyte relative to the amount spiked, or b) the spiked sample's matrix interferes with the spike recovery.

N/A = not applicable to this method.

NR = analyte concentration in sample exceeds spike amount for soil matrix or exceeds 2x spike amount for water matrix or sample diluted due to high matrix or analyte content.



QC SUMMARY REPORT FOR SW8015B

W.O. Sample Matrix: Soil

QC Matrix: Soil

BatchID: 39863

WorkOrder: 0811729

EPA Method SW8015B		Extraction SW3550C							Spiked Sample ID: 0811729-001A			
Analyte	Sample	Spiked	MS	MSD	MS-MSD	LCS	LCSD	LCS-LCSD	Acceptance Criteria (%)			
	mg/Kg	mg/Kg	% Rec.	% Rec.	% RPD	% Rec.	% Rec.	% RPD	MS / MSD	RPD	LCS/LCSD	RPD
TPH-Diesel (C10-C23)	ND	20	105	106	1.03	99.6	100	0.798	70 - 130	30	70 - 130	30
%SS:	109	50	126	128	1.05	86	89	4.40	70 - 130	30	70 - 130	30

All target compounds in the Method Blank of this extraction batch were ND less than the method RL with the following exceptions:
NONE

BATCH 39863 SUMMARY

Lab ID	Date Sampled	Date Extracted	Date Analyzed	Lab ID	Date Sampled	Date Extracted	Date Analyzed
0811729-001A	11/24/08 11:30 AM	11/24/08	11/25/08 11:02 AM	0811729-002A	11/24/08 11:30 AM	11/24/08	11/25/08 12:10 PM
0811729-003A	11/24/08 11:30 AM	11/24/08	11/25/08 1:18 PM	0811729-004A	11/24/08 11:30 AM	11/24/08	11/25/08 11:12 AM
0811729-005A	11/24/08 11:30 AM	11/24/08	11/25/08 12:18 PM	0811729-006A	11/24/08 11:30 AM	11/24/08	11/25/08 2:26 PM
0811729-007A	11/24/08 11:55 AM	11/24/08	11/26/08 7:09 PM				

MS = Matrix Spike; MSD = Matrix Spike Duplicate; LCS = Laboratory Control Sample; LCSD = Laboratory Control Sample Duplicate; RPD = Relative Percent Deviation.

% Recovery = 100 * (MS-Sample) / (Amount Spiked); RPD = 100 * (MS - MSD) / ((MS + MSD) / 2).

MS / MSD spike recoveries and / or %RPD may fall outside of laboratory acceptance criteria due to one or more of the following reasons: a) the sample is inhomogenous AND contains significant concentrations of analyte relative to the amount spiked, or b) the spiked sample's matrix interferes with the spike recovery.

N/A = not enough sample to perform matrix spike and matrix spike duplicate.

NR = analyte concentration in sample exceeds spike amount for soil matrix or exceeds 2x spike amount for water matrix or sample diluted due to high matrix or analyte content.

WILLIAM R. WATKINS, M. D.
HEALTH SERVICES DIRECTOR
LEWIS G. PASCALLI, JR., ESQ.
DIRECTOR

HAZARDOUS MATERIALS PROGRAMS

4333 Pacheco Boulevard
Martinez, California
94553-2229
Ph (925) 646-2286
Fax (925) 646-2073

CONTRA COSTA
HEALTH SERVICES

August 22, 2000

Geomatrix
Attn: Jeffrey Austin
2101 Webster St.
12th fl.
Oakland, CA 94612

SUBJECT: Underground Storage Tank (UST) Case Closure for
Ball Ranch Property, 300 Carnille Ave., Alamo, Ca.
Site ID# 72908

Dear Mr. Austin:

The Contra Costa County Health Services Department (CCCHSD) has reviewed the subject file, referenced above for compliance with State and County regulations. This letter confirms the completion of site investigation and remedial action (if necessary) for the underground storage tank(s) formerly located at the above location.


Our files indicate that appropriate permits were obtained, a CCCHSD inspector was present at the time of tank(s) removal, and appropriate soil samples were taken from the excavation and analyzed for petroleum hydrocarbon contamination. Based upon the available information and with the provision that the information provided to this agency was accurate and representative of site conditions, no further action related to this underground tank site is required.

This notice is issued pursuant to a regulation contained in Title 23, Division 3, Chapter 16, Section 2721(e) of the California Code of Regulations.

This letter has been prepared by CCCHSD and represents this agency's recommendation, it does not nor is it intended to represent other State or Federal Agency positions. Please be advised that this recommendation, for no further action, addresses the tank excavation only and not any other area of the property.

Please contact me at (925) 646-2286 if you have any questions regarding this matter.

Sincerely,



Bruce Benike
Occupational Health Specialist
2251 Maple Tank Center



Camille Ironwood Pop

Swic # 2124814669

Cont Sail

SITE	TICKET	GRID
WEIGHMASTER		
DATE IN	12-12-08	TIME IN
DATE OUT		TIME OUT
VEHICLE	OBT 262	ROLL OFF
REFERENCE	Alamo	

Gross - 58280
Tare - 25880
Net - 32400

16.20 tons

Duff

SIGNATURE

TENDER
CHANG
CHECK I

Keller Canyon Sanitary Landfill
 901 Bailey Road
 Pittsburg, CA 94565
 Phone (925) 458-9800
 Fax (925) 458-9891

Coffin Butte Landfill
 28972 Coffin Butte Road
 Corvallis, OR 97330
 Phone (541) 745-2018
 Fax (541) 745-3826

Ox Mountain Sanitary Landfill
 12310 San Mateo Road
 Half Moon Bay, CA 94019
 Phone (650) 726-1819
 Fax (650) 726-9183

Newby Island Sanitary Landfill
 1601 Dixon Landing Road
 Milpitas, CA 95035
 Phone (408) 945-2800
 Fax (408) 262-2871

Forward Landfill
 9999 S. Austin Road
 Manteca, CA 95336
 Phone (209) 982-4298
 Fax (209) 982-1009

NON-HAZARDOUS WASTE MANIFEST

GENERATOR <u>CAMILLE IRONWOOD PROP LLC</u>		WASTE ACCEPTANCE NO. <u>SWIC - 212Y814669</u>																						
MAILING ADDRESS <u>300 CAMILLE AVE</u>		REQUIRED PERSONAL PROTECTIVE EQUIPMENT																						
CITY, STATE, ZIP <u>ALAMO CA 94507</u>		<input type="checkbox"/> GLOVES <input type="checkbox"/> GOGGLES <input type="checkbox"/> RESPIRATOR <input type="checkbox"/> HARD HAT <input type="checkbox"/> TY-VEK <input type="checkbox"/> SAFETY VEST																						
PHONE <u>510 772 3447</u>		SPECIAL HANDLING PROCEDURES:																						
CONTACT PERSON <u>NATE BARK</u>																								
SIGNATURE OF AUTHORIZED AGENT / TITLE <u>* Nathan Bark</u> 12-30		DATE <u>12-12-08</u>																						
GENERATOR'S CERTIFICATION: I hereby certify that the above named material is not a hazardous waste as defined by 40 CFR Part 261 or title 22 of the California code of regulations, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations; AND, if the waste is a treatment residue of a previously restricted hazardous waste subject to the Land Disposal Restrictions, I certify and warrant that the waste has been treated in accordance with the requirements of 40 CFR Part 268 and is no longer a hazardous waste as defined by 40 CFR Part 261.		RECEIVING FACILITY																						
WASTE TYPE: <input type="checkbox"/> DISPOSAL <input type="checkbox"/> SLUDGE <input type="checkbox"/> CONSTRUCTION <input type="checkbox"/> WOOD <input type="checkbox"/> DEBRIS <input checked="" type="checkbox"/> OTHER <u>DIRT</u> <input type="checkbox"/> SPECIAL WASTE																								
GENERATING FACILITY <u>300 CAMILLE AVE</u>																								
TRANSPORTER <u>DEW BESTE TRANSPORTATION</u>		NOTES:	VEHICLE LICENSE NUMBER <u>Q76443</u>																					
ADDRESS <u>810 DEW BESTE CT.</u>			TRUCK NUMBER <u>262</u>																					
CITY, STATE, ZIP <u>WINDSOR CA 95792</u>		<u>SUPER DUMP</u>																						
PHONE <u>800 838 1477</u>		END DUMP	BOTTOM DUMP																					
SIGNATURE OF AUTHORIZED AGENT OR DRIVER <u>* Robert Davis</u>		ROLL-OFF(S)	VAN																					
DATE <u>12-12-08</u>		<input checked="" type="checkbox"/>	<input type="checkbox"/>																					
		<input type="checkbox"/>	<input type="checkbox"/>																					
		<input type="checkbox"/>	<input type="checkbox"/>																					
		<input type="checkbox"/>	<input type="checkbox"/>																					
I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.		CUBIC YARDS <u>120</u>																						
REMARKS		DISPOSAL METHOD: (TO BE COMPLETED BY LANDFILL)																						
FACILITY TICKET NUMBER		<table border="1"> <tr> <td></td> <td>DISPOSE</td> <td>OTHER</td> </tr> <tr> <td><input checked="" type="checkbox"/> SOIL</td> <td><u>10</u></td> <td></td> </tr> <tr> <td><input type="checkbox"/> CONSTRUCTION DEBRIS</td> <td></td> <td></td> </tr> <tr> <td><input type="checkbox"/> NON-FRIABLE ASBESTOS</td> <td></td> <td></td> </tr> <tr> <td><input type="checkbox"/> WOOD</td> <td></td> <td></td> </tr> <tr> <td><input type="checkbox"/> ASH</td> <td></td> <td></td> </tr> <tr> <td><input type="checkbox"/> SPECIAL OTHER</td> <td></td> <td></td> </tr> </table>			DISPOSE	OTHER	<input checked="" type="checkbox"/> SOIL	<u>10</u>		<input type="checkbox"/> CONSTRUCTION DEBRIS			<input type="checkbox"/> NON-FRIABLE ASBESTOS			<input type="checkbox"/> WOOD			<input type="checkbox"/> ASH			<input type="checkbox"/> SPECIAL OTHER		
	DISPOSE	OTHER																						
<input checked="" type="checkbox"/> SOIL	<u>10</u>																							
<input type="checkbox"/> CONSTRUCTION DEBRIS																								
<input type="checkbox"/> NON-FRIABLE ASBESTOS																								
<input type="checkbox"/> WOOD																								
<input type="checkbox"/> ASH																								
<input type="checkbox"/> SPECIAL OTHER																								
SIGNATURE OF AUTHORIZED AGENT <u>* [Signature]</u>		DATE <u>12-12-08</u>																						

SCHEDULING MUST BE MADE PRIOR TO 3:00 P.M. THE DAY PRIOR TO EXPECTED ARRIVAL • ANY UNSCHEDULED LOADS ARE SUBJECT TO REFUSAL UPON ARRIVAL. ONGOING DAILY DELIVERIES MUST BE SCHEDULED WITH THE LANDFILL THE DAY BEFORE

Camille Ironwood Prop.

245

Swic # 2124814669

Soil

SITE	TICKET	GRID
WEIGHMASTER		
DATE IN	12-12-08	TIME IN
DATE OUT		TIME OUT
VEHICLE	DBT262	ROLL OFF
REFERENCE	ORIGIN	Alamo

Gross - 57880
Tax - 25880
Net - 32000

• 16.00 tons

SIGNATURE

Ref

TENDERS

CHANGE

CHECK NO

